

neville lumb

bathrooms & washrooms

design

specification

distribution

A Saint-Gobain brand

Flooring Guide

2021





Flooring

With a vast portfolio spanning vinyl, engineered wood and laminate, we offer flooring suitable for any application including domestic and commercial, conservatories and 100% waterproof options.

With a colour and texture to meet any style or specification, our on-trend products are also hardwearing, durable and supported with installation accessories and underlays.



CONTENTS

VINYL

Quick-Step Livyn	6
Malmo™ Rigid	10
BerryAlloc™ Pure	16
LiViT Rigid	18
Malmo™ Stickdown	20

WOOD

Tuscan Engineered Wood Flooring	24
Tuscan Modelli	26
Tuscan Grandé	27
Tuscan Forte	28
Tuscan Terreno	29
Tuscan Strato	30
Tuscan Vintage	31
Basix Engineered Wood Flooring	32
Wood Flooring Accessories & Underlays	36


LAMINATE

Quick-Step	40
Swiss Krono	52
Krono Original	54
FAUS	58
LOC Floor®	59



VINYL FLOORING

Luxury Vinyl Tiles (LVT) have been the fastest growing flooring product in the last three years. They look just like real wood or stone, but at a fraction of the cost and with a whole host of benefits, such as durability and ease of maintenance. LVT can withstand the general wear and tear of everyday life, making it an ideal choice for family homes. Check out our range of vinyl flooring to suit all budgets.



Cottage Oak Dark Brown




Livyn from Quick-Step offers click installation vinyl flooring inspired by the latest trends in architecture, fashion and design.



Marta

MALMO™
LUXURY VINYL FLOORING *Rigid*

Rigid vinyl flooring is easy to fit, so perfect for DIY installation. It has a 1mm underlay already attached to eliminate the cost and fuss of installing it separately - and its Välinge 5G click installation system makes fitting simple even in tight spaces, with push down end joints that are extra secure and stable. Available in realistic plank and tile designs.



Terrazzo Light Grey Tile

BERRY  ALLOC


BerryAlloc Pure flooring features a unique soft top layer which makes it incredibly comfortable to walk on, and up to 50% quieter than other LVT floors thanks to its noise absorbing qualities. It's also quick & easy to install, in plank and tile designs, thanks to its lightweight rigid structure & DreamClick® locking system, and comes with a guarantee to last a lifetime. Available in realistic plank and tile designs.



Thunder Oak

LiViT
LUXURY VINYL FLOORING

LiViT LVT provides a selection of realistic woodgrain and tile designs suitable for use in any room in the home thanks to its waterproof and hardwearing properties. Quickly create a stunning space thanks to the patented I4F click technology, perfect for any DIY enthusiast.



Skara

MALMO™
LUXURY VINYL FLOORING *Stickdown*

Stickdown is the most popular method of vinyl flooring installation amongst professionals and contractors, with R10 slip resistance across all three styles. It's ideal for commercial applications and new builds, and for use in conservatories and with encased water piped underfloor heating systems.

LIVYN

Quick-Step Livyn LVT

Livyn from Quick-Step offers click installation vinyl flooring inspired by the latest trends in architecture, fashion and design.

Cottage Oak Dark Brown

Features & Benefits

- Broad colour palette spanning wood and stone effects
- Brushed and saw cut matt finishes
- 4.5mm thickness
- Suitable for conservatories
- Quick and easy to install using the patented Uniclic jointing system
- Suitable for use with water fed underfloor heating systems
- No transition profiles required between rooms
- Easy to clean and maintain
- Most stable vinyl product on the market
- Up to 20 years warranty
- 100% recyclable

Application

- Domestic / Commercial
- Class 32 for residential use
- 20 year residential warranty

Ideal for wet areas and areas of high humidity, including conservatories



Canyon Oak Grey



Autumn Oak Warm Grey



Grey Slate

Suitable for installation on slightly uneven surfaces or old tiles with grouts not exceeding 4mm in width and 1mm in depth.

Pulse Click

The long and wide dimensions of Pulse provide the ultimate luxurious flooring experience. Its V-grooved panels create a spacious ambiance, while the matching structures on several designs enhance the authentic effect. For installation on slightly uneven surfaces or old tiles with grouts not exceeding 4mm in width and 1mm in depth.

- Dimensions: 210 x 1510mm
- Thickness: 4.5mm
- Pack Size: 7 planks = 2.220m²
- Installation: Uniclic
- Class: 32
- Bevel: Modern microbevel or Rustic microbevel
- Warranty: 20 Years

MODERN MICROBEVEL



Snow Pine
QSF06219

Cotton Oak
White Blush
QSF06215

Sea Breeze
Oak Light
QSLIV049

Cotton Oak
Cold Grey
QSF06216

Sea Breeze Oak
Beige
QSLIV048

Sand Storm Oak
Warm Grey
QSLIV043

Morning Mist Pine
QSLIV045

Autumn Oak
Warm Grey
QSLIV041



Cotton Oak
Warm Grey
QSLIV035

Cotton Oak Grey
With Saw Cuts
QSLIV034

Cotton Oak
Cozy Grey
QSF06217

Cotton Oak Beige
QSLIV033

Autumn Oak Light
Natural
QSLIV040

Pure Oak Blush
QSLIV031

Sea Breeze Oak
Natural
QSLIV047

Cotton Oak
Natural
QSLIV032



Cotton Oak Deep
Natural
QSF06218

Autumn Oak
Honey
QSLIV039

Pure Oak Honey
QSLIV030

Picnic Oak Ochre
QSLIV037

Autumn Oak Brown
QSLIV038

Sand Storm
Oak Brown
QSLIV042

Vineyard Oak
Brown
QSLIV046

Autumn Oak
Chocolate
QSF06214

RUSTIC MICROBEVEL



Picnic Oak Warm
Natural
QSLIV036

Sundown Pine
QSLIV044




Cotton Oak Beige

Balance Click

Balance combines rustic and modern designs; from sleek, elegant structures to intense, heavy-grained wood structures. To enhance their life-like appearance, several Balance designs feature matching structures. For installation on slightly uneven surfaces or old tiles with grouts not exceeding 4mm in width and 1mm in depth.

- Dimensions: 187 x 1251mm
- Thickness: 4.5mm
- Pack Size: 9 planks = 2.105m²
- Installation: Uniclic
- Class: 32
- Bevel: Modern microbevel
- Warranty: 20 Years

MODERN MICROBEVEL



Velvet Oak Light
QSLIV064



Canyon Oak Beige
QSLIV015



Silk Oak Light
QSLIV017



Canyon Oak Grey
with Saw Cuts
QSLIV011



Velvet Oak Beige
QSLIV065



Select Oak Light
QSLIV013



Drift Oak Beige
QSLIV005



Silk Oak Warm
Natural
QSLIV053



Classic Oak
Natural
QSLIV007



Select Oak Natural
QSLIV014



Canyon Oak
Natural
QSLIV016



Cottage Oak
Natural
QSLIV008



Vintage Chestnut
Natural
QSLIV010



Victorian Oak
Natural
QSLIV063



Velvet Oak Sand
QSLIV066



Canyon Oak Light
Brown With Saw Cuts
QSLIV012



Cottage Oak
Brown Grey
QSLIV068



Canyon Oak
Brown
QSLIV051



Velvet Oak Brown
QSLIV067



Silk Oak Grey
Brown
QSLIV017



Cottage Oak
Dark Brown
QSLIV009



Canyon Oak Natural



Ambient Click

This collection features an expressive, tactile structure and fascinating colour variations. The V-grooved tiles radiate spaciousness and authenticity. Choose the nano-bevelled version for a more minimalist, modern look. For installation on slightly uneven surfaces or old tiles with grouts not exceeding 4mm in width and 1mm in depth.

- Dimensions: 320 x 1300mm
- Thickness: 4.5mm
- Pack Size: 5 planks = 2.080m²
- Installation: Uniclic
- Class: 32
- Bevel: Modern microbevel or Nano bevel
- Warranty: 20 Years


NANO MICROBEVEL



Marble Carrara White
QSLIV056



Minimal Light Grey
QSLIV059




Minimal Light Taupe
QSLIV061




Minimal Medium Grey
QSLIV060


MODERN MICROBEVEL



Cream Travertine
QSLIV003




Light Grey Travertine
QSLIV069



Vibrant Sand
QSLIV057



Vibrant Medium Grey
QSLIV058



Grey Slate
QSLIV001



Black Slate
QSLIV002

Malmo™ Rigid LVT Flooring

The Malmo™ vinyl flooring range offers wooden plank and tile effects, with a colour palette that includes classic oak through to on-trend greys and travertine - all in a contemporary matt finish with an embossed surface that creates the authentic look and feel of wood or tile. It is resistant to indentations, will not chip or crack and is easy to maintain too. In particular, the Malmo™ Senses Registered Embossed Collection replicates the look and feel of wood like never before.




Viggo MA48

Available in 4 styles




Registered Embossed

With the flooring texture perfectly in line with the visual pattern of the woodgrain, the Senses Registered Embossed Collection enhances knots, giving the true look and feel of a warm and natural wood floor.




Narrow Plank

Narrower planks cleverly create a sense of space in smaller areas - and they come in a range of smart shades, from light oak to darker hues.



Wide Plank

Extra width makes for extra style, with more surface space to show off the natural variations of real wood, like knots and grain.



Tile

Perfect for kitchens and bathrooms, the Tile range creates the look of real tiling across a versatile choice of colours to suit classic or contemporary interiors.

Features



Waterproof
core



Easy to cut



Hardwearing
& durable



Foam backed



Slip resistant



Lighter to carry



Stable rigid
PVC core



5G end profile
makes it easier to
install



Suitable for use with
underfloor heating
(Encased water piped)



Reaction to
fire tested



Up to 25 year domestic /
10 year commercial
warranty



Registered
Embossed



Brada Chestnut MA61 - Registered Embossed Multi-Width Plank

Malmo™ Rigid Senses - Registered Embossed Multi-Width Plank


The innovative design of our Senses Multi-Width Collection provides the look of reclaimed wood with random plank widths and lengths, but with all the convenience of easy to fit rigid vinyl flooring in a single plank.

Boasting a Registered Embossed texture and variance of colour, this truly replicates the look and feel of real wood flooring.



Registered Embossed Plank

- Thickness: 5.5mm Vinyl
- Tile size: 180 x 1220mm
- Pack size: 1.75m²



Brada Storm MA60
IDSMMMA60



Brada Chestnut MA61
IDSMMMA61



Foam backed



25 year domestic/
10 year commercial
warranty



Registered
Embossed Plank

5GC

5G end profile
makes it easier
to install



Suitable for use
with underfloor
heating (Encased
water piped)







Vali MA68

Malmo™ Rigid Senses - Registered Embossed

Malmo™ Senses Registered Embossed luxury vinyl flooring replicates the look and feel of real wood like never before. With the texture perfectly in line with the visual pattern of the woodgrain, it combines the beauty of wood with the durability of vinyl.



Foam backed

25 year domestic/
10 year commercial
warrantyRegistered
Embossed
Plank5GC
5GC end
profile
makes it
easier to
installSuitable for
use with under-
floor heating
(Encased
water piped)Registered
Embossed Plank1220mm x 220 x 5.5mm Pack size: 2.14m²Vern MA64
IDS MMA64Brant MA65
IDS MMA65Thor MA66
IDS MMA66Ingrid MA62
IDS MMA62Asta MA63
IDS MMA63Iona MA67
IDS MMA67Vali MA68
IDS MMA68Stein MA69
IDS MMA69Tyra MA90
IDS MMA90Kustaa MA91
IDS MMA911500mm x 220 x 5.5mm Pack size: 2.14m²

Malmö™ Rigid - Wide Plank

Extra width makes for extra style, with more surface space to show off the natural variations of real wood, like knots and grain.

- Thickness: 5.5mm Vinyl
- Plank size: 1500 x 220mm
- Pack size: 1.98m²



Foil backed



15 year domestic /
7 year commercial
warranty

5GC



Suitable for use
with underfloor
heating (Encased
water piped)



Wide Plank




Linus MA30
IDS MMA30




Matteo MA31
IDS MMA31




Tuva MA32
IDS MMA32



Ebba MA33
IDS MMA33



Tuva - Wide Plank



Svante - Narrow Plank

Malmö™ Rigid - Narrow Plank

Narrower planks cleverly create a sense of space in smaller areas - and they come in a range of smart shades, from light oak to darker hues.

- Thickness: 5.5mm Vinyl
- Plank size: 1220 x 176mm
- Pack size: 1.71m²



Foil backed



15 year domestic /
7 year commercial
warranty


5GC



Suitable for use
with underfloor
heating (Encased
water piped)



Narrow Plank



Hugo MA40
IDS MMA40



Axel MA41
IDS MMA41



Ivar MA42
IDS MMA42



Dante MA43
IDS MMA43



Arvid MA44
IDS MMA44



Svante MA45
IDS MMA45




Maja MA46
IDS MMA46



Alvin MA47
IDS MMA47



Viggo MA48
IDS MMA48



Ellis MA49
IDS MMA49




Greta MA21

Malmo™ Rigid - Tile

Perfect for kitchens and bathrooms, the Tile range creates the look and feel of real tiling across a versatile choice of colours to suit classic or contemporary interiors.

- Thickness: 5.5/0.3mm Vinyl
- Tile size: 457 x 300mm
- Pack size: 1.37m²




Livia MA20
IDS MMA20




Greta MA21
IDS MMA21




Marta MA22
IDS MMA22




Tindra MA23
IDS MMA23



Elina MA24
IDS MMA24



Klara MA25
IDS MMA25



5GC



5G end profile
makes it easier
to install

Suitable for use
with underfloor
heating (Encased
water piped)



Foam
backed



15 year domestic /
7 year commercial
warranty

BERRY ALLOC

The unique DreamClick® locking system means that planks can be laid in multi directional angles, and tile and plank designs can even be installed together with no transition profiles required.



Compatible with
underfloor heating




Water
resistant



Slip
resistant



Lifetime
warranty



360°
Installation System



Terrazzo Light Grey Tile

Tile



Zinc - 679M




Bluestone Dark



Terrazzo Light Grey



Urban Stone Dark Grey



Urban Stone Greige

Tile	Code	Thickness / Plank Size	Pack size
Zinc - 679M	IDSBA070	5mm x 612 x 612mm	2.247m ²
Bluestone Dark	IDSBA593	5mm x 612 x 612mm	2.247m ²
Terrazzo Light Grey	IDSBA589	5mm x 612 x 612mm	2.247m ²
Urban Stone Dark Grey	IDSBA588	5mm x 612 x 612mm	2.247m ²
Urban Stone Greige	IDSBA586	5mm x 612 x 612mm	2.247m ²




3 in 1 profile



Skirting

3 In 1 Profile - 10mm x 49mm x 2.0m		Skirting - 12mm x 60mm x 2.4m	
	Code		Code
Zinc - 679M	IDSBA423		IDSBA696
Bluestone Dark	IDSBA472		IDSBA721
Terrazzo Light Grey	IDSBA468		IDSBA717
Urban Stone Dark Grey	IDSBA467		IDSBA716
Urban Stone Greige	IDSBA464		IDSBA713

Plank



Toulon Oak
109S




Lime Oak
623M




Columbian Oak
663D



Toulon Oak
976M




Authentic Oak Light Grey



Classic Oak Grey



Classic Oak Natural



Intense Dark Grey



Intense Light Grey

Plank	Code	Thickness / Plank Size	Pack size
Toulon Oak - 109S	IDSBA108	5mm x 1326 x 204mm	2.164m ²
Lime Oak - 623M	IDSBA212	5mm x 1326 x 204mm	2.164m ²
Columbian Oak - 663D	IDSBA198	5mm x 1326 x 204mm	2.164m ²
Toulon Oak - 976M	IDSBA112	5mm x 1326 x 204mm	2.164m ²
Authentic Oak Light Grey	IDSBA607	5mm x 1326 x 204mm	2.164m ²
Classic Oak Grey	IDSBA602	5mm x 1326 x 204mm	2.164m ²
Classic Oak Natural	IDSBA583	5mm x 1326 x 204mm	2.164m ²
Intense Dark Grey	IDSBA598	5mm x 1326 x 204mm	2.164m ²
Intense Light Grey	IDSBA595	5mm x 1326 x 204mm	2.164m ²



3 in 1 profile




Skirting

3 In 1 Profile - 10mm x 49mm x 2.0m		Skirting - 12mm x 60mm x 2.4m
Code		Code
Toulon Oak - 109S	IDSBA446	IDSBA688
Lime Oak - 623M	IDSBA568	IDSBA682
Columbian Oak - 663D	IDSBA551	IDSBA678
Toulon Oak - 976M	IDSBA450	IDSBA693
Authentic Oak Light Grey	IDSBA462	IDSBA711
Classic Oak Grey	IDSBA2457	IDSBA706
Classic Oak Natural	IDSBA2455	IDSBA704
Intense Dark Grey	IDSBA2452	IDSBA701
Intense Light Grey	IDSBA401	IDSBA698


Accessories	Code
Underlay Dreamtec+ 10m ²	IDSBA027
Vinyl Planks Cleaner 1000ml	IDSBA772
Vinyl Planks Pu Protect 1000ml	IDSBA773



End Profile
Bronze



Reducer Profile
Champagne




T-Profile
Silver


	Bronze	Champagne	Silver
End Profile (3.5-6.5mm x 24mm x 2.0m)	IDSBA581	IDSBA580	IDSBA579
Reducer Profile (3.5-6.5mm x 38mm x 2.0m)	IDSBA775	IDSBA574	IDSBA573
T-Profile (3.5-6.5mm x 34mm x 2.0m)	IDSBA778	IDSBA577	IDSBA576

Rigid Plank

LiViT rigid plank LVT provides a selection of realistic woodgrain designs suitable for use in any room in the home thanks to its waterproof and hardwearing properties. Quickly create a stunning space thanks to the easy to fit rigid planks featuring the patented I4F click technology, perfect for any DIY enthusiast.



PLANK



Thunder Oak

Features and benefits



UHF Water Piped



Reaction to Fire

10yr Domestic
Warranty

Stable Rigid Core



Waterproof



Easy to Cut




I4F Click System

Hardwearing
& Durable

Underlay Attached



Slip Resistance



Dawn Oak LT01



Dusk Oak LT02




Lightning Oak LT05



Thunder Oak LT06



Twilight Oak LT03



Storm Oak LT07




Midnight Oak LT04


Rigid Plank - 5mm Decor	Ref	Size	Pack Size	Code
Dawn Oak	LT01	5.0x178x1244mm	2.21m ²	IDSLR915
Dusk Oak	LT02	5.0x178x1244mm	2.21m ²	IDSLR404
Twilight Oak	LT03	5.0x178x1244mm	2.21m ²	IDSLR603
Midnight Oak	LT04	5.0x178x1244mm	2.21m ²	IDSLR804
Lightning Oak	LT05	5.0x178x1244mm	2.21m ²	IDSLR602
Thunder Oak	LT06	5.0x178x1244mm	2.21m ²	IDSLR750
Storm Oak	LT07	5.0x178x1244mm	2.21m ²	IDSLR105

Rigid Tile

LiViT rigid tile LVT gives the look and feel of a traditional tile without the messy and time-consuming installation thanks to the patented i4F click technology. The Stone, Slate and Marble designs are sure to add a touch of luxury to any room safe in the knowledge the flooring also boasts Slip Resistance qualities.



TILE



Thassos Marble

Features and benefits



UHF Water Piped



Reaction to Fire

10yr Domestic
Warranty
5yr Light Commercial

Stable Rigid Core



Waterproof



Easy to Cut




i4F Click System

Hardwearing
& Durable

Underlay Attached



Slip Resistance



Thassos Marble LT30



Himalayan Stone LT31



Vermont Slate LT32

Rigid Tile - 5mm Decor	Ref	Size	Pack Size	Code
Thassos Marble	LT30	5.0x303x607mm	2.21m ²	IDSLR408
Himalayan Stone	LT31	5.0x303x607mm	2.21m ²	IDSLR501
Vermont Slate	LT32	5.0x303x607mm	2.21m ²	IDSLR705


Stickdown Flooring

Professional installers and contractors choose Stickdown for vinyl flooring applications because it offers them all the features and functionality they're looking for in commercial buildings, high footfall areas and new build projects. It offers R10 slip resistance across three smart styles and is suitable for installation in conservatories, and for use with encased water-piped underfloor heating systems.



Three superb styles give you endless options and opportunities. Plank offers a beautiful and realistic wood effect in different plank sizes, Tile creates a stunning tile effect across a broad colour palette and Herringbone is an attractive modern twist on a traditional style. They all come in 2.5mm thickness, with selected Plank designs also available in 2.0mm.


Available in 3 styles



Herringbone




Plank



Tile


Multi-layer construction



Features and benefits



Waterproof
core



Easy to cut



Hard wearing
& durable



Easy to
clean and
maintain



Slip resistant



Suitable for use
with underfloor
heating (Encased
water piped)



For use in
conservatories



Reaction
to fire
tested



25 year domestic /
10 year
commercial
warranty



Vantaa MA82


Malmo™ Stickdown Herringbone

Our Herringbone range offers classic styling with a smart modern twist. It's great looks are hardwearing, durable and easy to clean.

- Thickness: 2.5mm
- Tile size: 610 x 100mm
- Pack size: 3.34m²



Herringbone

Bergen MA81
IDSMMMA81Vantaa MA82
IDSMMMA82

25 year domestic /
10 year
commercial
warranty



Suitable for use
with underfloor
heating (Encased
water piped)



For use in
conservatories



Malmö™ Stickdown Plank

The Plank range offers woodgrain colours to perfectly suit every environment - from warm and welcoming to cool and neutral.

• Thickness: 2.5mm • Plank size: 1219 x 184mm • Pack size: 3.37m²



25 year domestic /
10 year
commercial
warranty



Suitable for use
with underfloor
heating (Encased
water piped)



For use in
conservatories



Plank



Bergen MA50
IDS MMA50



Solna MA52
IDS MMA52



Narvik MA53
IDS MMA53



Skara MA54
IDS MMA54



Kalmar MA55
IDS MMA55



Lund MA56
IDS MMA56



Alta MA57
IDS MMA57



Vantaa* MS58
IDS MMA58
* Heavily embossed



Kuvio Grey MA77

Malmo™ Stickdown Tile

All the beauty of traditional tiled flooring, without the cost and fussy installation associated with grouting. Our tile designs come in a range to suit every taste, from traditional travertine to contemporary grey stone and Moroccan tile effects.

- Thickness: 2.5mm
- Tile size: 609 x 305mm
- Pack size: 3.34m²




25 year domestic /
10 year
commercial
warranty



Suitable for use
with underfloor
heating (Encased
water piped)



For use in
conservatories



Tile

Kuvio Blue MA76
IDSMA76Kuvio Grey MA77
IDSMA77

NEW DECORS
DUE IN SUMMER 2021

Accessories



Primer



Adhesive



Levelling Compound

Tuscan Engineered Wood Flooring Collection

The Tuscan Collection offers a beautiful range of stunning surfaces and finishes to suit both traditional and contemporary interiors, bringing elegance and style to your home.



Modelli

The elegance of a traditional parquet or herringbone floor.

Page 26



Grandé

Extra-wide planks which instil a sense of luxury.

Page 27



Forte

A premium specification floor that both looks and feels amazing.


Page 28



Terreno

The beauty of solid wood combined with the benefits of engineered flooring.

Page 29



Strato

A classic collection that creates a stunning interior in any setting.

Page 30



Vintage

The rustic, time worn effect of an original wood floor from yesteryear.

Page 31

Product Overview

We understand how hard it can be selecting the flooring for your application, with such an extensive range of surface textures, structures, finishes, edge and joint options it's important you select the right combination to ensure you achieve the desired outcome. We have developed a range of easy to identify 'icons' which we display against all of our flooring ranges, this will allow you to quickly make the right choice for your application.



3 Ply

A triple layered product, consisting of a top surface of solid hardwood bonded to a softwood core with veneer backing to create a stable wood flooring solution.



Multiply

Featuring a top surface of solid wood bonded to multiple layers of cross-laid ply to create a highly stable hardwood flooring solution.



Flat sanded

A smooth, sleek and even surface that retains the inviting texture of the wood.



Hand distressed

A hand textured surface that evokes the mellowed and time worn surface of a floor from yesteryear.




Brushed

The surface of the boards are wire brushed to bring out the surface grain, creating rich textural appeal.



Saw marked

Saw marks are made to the top level of the floor, perpendicular to the wood grain, haphazardly and in varied depths.



Hand scraped

Hand scraped processes texture the surface creating a time worn look, that celebrates the natural character of hardwood.



Enhanced hand scraped & brushed

Deeper hand scraping to the surface and around filled knots creates a unique look of a floor rich in history.

Surface finish



Lacquered

This creates a higher sheen, with light bouncing off the hardwearing and durable surface.



Matt lacquered

A modern, matt finish that's long-lasting but allows the natural beauty of the floor to come through.



UV oiled

The classic beauty of an oiled finish, combined with the resilience of a UV cured coating.



Wax oiled

A traditional ultra matt, tough finish which also creates an inviting charm and warmth.

Bevel edge



Square edge

There are no grooves or gaps between the planks of the flooring boards, virtually erasing the joint lines.



2V

Bevelled edges along the length of the boards.



4V

Featuring noticeable bevelled edges to all 4 sides of each board.



4V micro

Featuring discreet bevelled edges to all 4 sides of each board.

Joint



Click

The original floating floorclick system.



Drop loc

Quick and easy to install self locking system.



Tongue & groove

Classic easy locating joint system.



5GC

Featuring Välinge 5GC profile technology for fast, easy and strong click installation

Underfloor heating



Electric mat

Flooring is suitable for use over electric mat underfloor heating systems in accordance with the manufacturer's installation instructions.



Water piped

Suitable for use over water piped underfloor heating systems set in concrete screed, in accordance with the manufacturer's installation instructions.



Modelli

Modelli Smoked Oak TF31

Modelli Herringbone

The Modelli Herringbone range offers flooring with real character and a traditional feel, forming a focal point that will beautifully transform any room, in any home.

Its elegant design catches the eye to deliver impressive, iconic looks with a real 'wow' factor. A choice of two oiled finishes beautifully complement the surface grain to complete a stunning effect every time. Modelli Herringbone is a captivating and confident statement of style. FSC® certified.



Plank size: 15 x 122 x 610mm Pack size: 0.89m²


Modelli Chevron

Modelli Chevron floors offer a beautifully crafted design in sophisticated natural or darker oaks. The elegant pattern gives a luxurious European feel whilst meeting the modern trend for geometric designs.


Easy to install, Modelli Chevron helps to create the illusion of space and make narrow spaces appear wider. In addition, the combination of a 25 year warranty and breathtaking style means that you won't have to replace it to suit different interior design schemes – Modelli Chevron is truly a timeless investment. FSC® certified.




Plank size: 15 x 90 x 450mm Pack size: 0.81m²




Smoked Oak & Black Stained
TF30 IDST044




Smoked Oak
TF31 IDST045



Natural
TF40 IDSTF205



Light Smoked
TF41 IDSTF195



Dark Stained
TF42 IDSTF200





Plank size: 20 x 220 x 2200mm Pack size: 1.93m²

Tuscan Grandé

The versatile Grandé range can be installed directly over existing floor joists - the 20mm thickness enables it to be used as a load bearing floor without floor boards underneath, meaning it is perfect for refurbishment and renovation projects.

Grandé's wide boards open up smaller spaces like bedrooms, adding a sense of luxury and sophistication with their light to dark tones. They're durable too, as they are pre-coated with a hardwearing UV oil as standard. FSC® certified.



Natural Oak
TF300 IDSTF175



Dark Smoked Oak
TF301 IDSTS042



Rustic Oak
TF310 IDSTF170



White Smoked Oak
TF311 IDSTS043*



*Plank size: 20x 190 x 1900mm
Pack size: 1.44m²





Plank size: 15 x 150mm
Random lengths 400mm - 1200mm
Pack size: 1.44m²

Tuscan Forte

With a variety of plank lengths, the Forte range offers the character of solid wood flooring at a fraction of the cost. It's versatile, with colours to suit every application – and easy to fit, even in tight spaces, thanks to its 5GC installation system with push down joints and strong, stable end joints.

All Forte items feature an enhanced Tressert lacquer to enrich the visual and textural appeal of the wood's natural grain, whilst assuring surface protection and durability. FSC® certified.



Natural White Oak
TF511 IDSTF511



Natural White Oak
TF512 IDSTF512



Barley
TF513 IDSTF513



Barley
TF514 IDSTF514



Toffee
TF515 IDSTF515



Toffee
TF516 IDSTF516



Light Grey
TF517 IDSTF517



Truffle
TF518 IDSTF518



Barn Oak White Washed
TF519 IDSTF519







Tuscan Terreno

Plank size: 18 x 125mm x random lengths 400mm - 1200mm Pack size: 2.20m²

Capture all the character of a solid wood floor at a fraction of the cost. Terreno comes in a variety of realistic plank lengths achieving a natural and authentic look. With a broad choice of classic colour options, Terreno flooring is ideal for every area of the home apart from the bathroom. It's practical too, as the multiply core provides stability and reduces the natural movement of the wood. FSC® certified.



Rustic Oak
TF20 IDSTE169




Golden Oak
TF21 IDSTE170



Rustic Oak
TF22 IDSTE171*



*Plank size: 20 x 190mm x random lengths
Pack size: 1.80m²



Rustic Oak
TF23 IDSTE172**



**Plank size: 18 x 150mm x random lengths
Pack size: 2.31m²



American Walnut
TF110 IDSTE166*



*Plank size: 14 x 127 x 1200mm
Pack size: 1.22m²
Not to be used with electric underfloor heating.
None FSC®





Tuscan Strato

Strato Warm Country Bleached Oak TF109

Strato Warm

With its wonderfully welcoming, relaxed yet stylish look and feel, Strato Warm flooring helps you create a comfortable and homely environment that's simply perfect for living rooms and bedrooms.

There's a great range of colour tones to choose from too - everything from the popular contemporary looks of Grey Washed Oak and Bleached Oak as well as darker, more traditional shades. FSC® certified.



Plank size: 14 x 180 x 2200mm Pack size: 2.77m²

Strato Classic

Style and good looks lie at the heart of this versatile Strato range. Whether it's a classic or contemporary effect you are seeking to create, these beautiful boards will consistently enhance the feeling of luxury throughout the home.

Choose from the natural wood forms of Family, the prominent wood grain of Brushed, the narrow plank effect of 3 Strip or the texture and grain of White Washed. They are all Classic designs. FSC® certified.



Plank size: 14 x 180 x 2200mm Pack size: 2.77m²



White Washed Oak
TF103 IDSTF125



Country Grey Washed Oak
TF108 IDSTE158



Country Bleached Oak
TF109 IDSTE159



Family Oak
TF102 IDSTF100



Family Oak
TF104 IDSTF115



3 Strip Family Oak
TF106 IDSTF140*



*Plank size: 14 x 207 x 2200mm
Pack size: 3.18m²



Grey White Washed Oak
TF112 IDSTF112



Warm Oak
TF120* IDSTF165



White Oak
TF121* IDSTF160



*Plank size: 14 x 207 x 2200mm Pack size: 3.18m²




Plank size: 15 x 190 x 1900mm Pack size: 2.88m²

Tuscan Vintage

The Vintage range helps you create the look and style of vintage flooring - with the added benefits of the strength, stability and guarantees that feature throughout our Tuscan Collection.


Vintage offers you a beautiful, natural oak wood floor with a collection of enhanced hand scraped and brushed finishes to give that slightly distressed look. It's smoked boards deliver a richer colour throughout the plank - not just on the surface, as with stained products. FSC® certified.



Natural
TF200 IDSTF190



Light Smoked
TF201 IDSTF185



Dark Smoked
TF202 IDSTS046



Light Smoked
TF203 IDSTF180



Vintage Light Smoked TF201

Basix Engineered Wood Flooring



With a choice of surface finishes including UV oiled, matt lacquered and unfinished; tongue & groove or click installation; and a variety of plank sizes and thicknesses, Basix offers great value for money.



Natural Oak BF06

Product Options



Multiply

Featuring a top surface of solid wood bonded to multiple layers of cross-laid ply to create a highly stable hardwood flooring solution.



Engineered

A triple layered product, consisting of a top surface of solid hardwood bonded to a softwood core with veneer backing to create a stable wood flooring solution.



FSC® certification guarantees that timber is harvested from responsibly managed forests.



BF01 - Oak Natural Matt UV Lacquered.

UV lacquered


This creates a higher sheen, with light bouncing off the hardwearing and durable surface.



BF06 - Natural Oak Brushed and UV Oiled.

Matt UV lacquered

A modern, matt finish that's long-lasting but allows the natural beauty of the floor to come through.




BF03 - Rustic Oak 3 Strip UV Lacquered.

UV oiled

The classic beauty of an oiled finish, combined with the resilience of a UV cured coating.

Multiply

Basix



Golden Oak BF15

Installation method

Float, stick down
or nail down



Description	Grade	Ref	IDS Code	Surface texture	Dimensions mm (Thickness, Width & Length)	Pack size	Packs per pallet	m ² per pallet
Natural Oak Brushed, UV Oiled	ABCD	BF06	IDSBF105	Brushed	18 x 125 x 300 - 1200mm	1.2m ²	48	57.6m ²
Oak Brushed, UV Oiled	BCD	BF12	IDSBF123	Brushed	20 x 190 x 1900mm (1 nested length)	1.8m ²	45	81.25m ²
Oak, UV Lacquered	BCD	BF13	IDSBF013	Flat sanded	20 x 190 x 1900mm (1 nested length)	1.8m ²	45	81.25m ²
Autumn Oak Brushed, UV Oiled*	ABC	BF14	IDSBF014	Brushed	15 x 125 x 400 - 1200mm	1.2m ²	45	54m ²
Golden Oak Brushed, UV Oiled*	ABC	BF15	IDSBF012	Brushed	15 x 125 x 400 - 1200mm	1.2m ²	45	54m ²

* Float or Stickdown



Natural Oak Brushed UV Oiled
BF06



Oak Brushed UV Oiled
BF12



Oak UV Lacquered
BF13




Autumn Oak Brushed UV Oiled
BF14




Golden Oak Brushed UV Oiled
BF15

Chevron Tile



Chevron Natural Oak



Tile format enables quick
and easy installation.

Installation method

Stick down

• FSC® certified



Description	Grade	Ref	IDS Code	Finish	Dimensions mm (Thickness, Width & Length)	Pack size	Packs per pallet	m ² per pallet
Natural Oak Brushed & UV Oiled	ABC	BF50	IDSBF011	Brushed	15 x 300 x 600mm - 45° Angle	1.08m ²	48	51.84m ²

Engineered Narrow




Installation method

Float or stick down

- FSC® certified



Description	Grade	Ref	IDS Code	Surface texture	Dimensions mm (Thickness, Width & Length)	Pack size	Packs per pallet	m ² per pallet
Natural Oak Matt, UV Lacquered	Mixed	BF10	IDSAA001	Flat sanded	14 x 130 x 1092mm	0.99m ²	49	48.51m ²
Silver Matt, UV Lacquered	Mixed	BF41	IDSAA005	Flat sanded	14 x 130 x 1092mm	0.99m ²	49	48.51m ²
Alaska White, UV Lacquered	Mixed	BF42	IDSAA006	Flat sanded	14 x 130 x 1092mm	0.99m ²	49	48.51m ²
Butterscotch, UV Lacquered	Mixed	BF43	IDSAA008	Flat sanded	14 x 130 x 1092mm	0.99m ²	49	48.51m ²
Milk Chocolate, UV Lacquered	Mixed	BF44	IDSAA007	Flat sanded	14 x 130 x 1092mm	0.99m ²	49	48.51m ²



Natural Oak
BF10



Silver Matt
BF41



Alaska White
BF42



Butterscotch
BF43



Milk Chocolate
BF44

Engineered Classic



Installation method

Float or stick down

- FSC® certified



Description	Grade	Ref	IDS Code	Surface texture	Dimensions mm (Thickness, Width & Length)	Pack size	Packs per pallet	m ² per pallet
Oak Natural Matt Lacquered	Mixed	BF01	IDSBF075	Flat sanded	14 x 180 x 1092mm	1.37m ²	40	54.8m ²
Country Oak Brushed & Oiled	Country	BF02	IDSBF095	Brushed	14 x 180 x 2200mm	2.77m ²	40	110.8m ²
Rustic Oak 3 Strip UV Lacquered	Mixed	BF03	IDSBF080	Flat sanded	14 x 207 x 2200mm	3.18m ²	40	127.2m ²
Oak 3 Strip Matt Lacquered	Mixed	BF11	IDSAA002	Flat sanded	14 x 207 x 1092mm	1.58m ²	40	63.2m ²
Grey Oak Washed 3 Strip Matt UV Lacquered	Mixed	BF16	IDSAA004	Brushed	14 x 207 x 2200mm	3.18m ²	40	48.51m ²


* 5GC Click Installation and system



Oak Natural
BF01



Country Oak
BF02



Rustic Oak 3 Strip
BF03






Oak 3 Strip
BF11



Grey Oak Washed
BF16

Engineered Wood Flooring Accessories

Our comprehensive range of quality profiles provide a smart finish to our floors. Solid wood trims create a smooth transition wherever needed, available in a selection of complementary colours. Our profiles undergo stringent selection processes to ensure they meet the highest quality standards and complement our flooring as closely as possible. However, as with all wood products, they are subject to natural colour and grain variations.

		Scotia		T-Section		Ramp Section	
							
		Solid Oak Scotia 19x19x2400mm.		15x50x900mm Solid Oak T-Bar 15-18mm with pvc fixing track 15x50x900mm		22x59x900mm Solid Oak Ramp 15-18mm with pvc fixing track 22x59x900mm	
Flooring Ref		Ref	Code	Ref	Code	Ref	Code
Basix	BF01	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Basix	BF02	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Basix	BF03	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Basix	BF06	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Basix	BF10	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Basix	BF11	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Basix	BF12	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Basix	BF13	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Basix	BF14	TA4425	IDSTF315	TA3325	IDSTF325	TA2225	IDSTF320
Basix	BF15	TA4422	IDSTF345	TA3322	IDSTF355	TA2222	IDSTF350
Basix	BF16	TA4421	IDSTF360	TA3321	IDSTF370	TA2221	IDSTF365
Basix	BF41	TA4429	IDSTF255	TA3329	IDSTF265	TA2229	IDSTF260
Basix	BF42	TA4429	IDSTF255	TA3329	IDSTF265	TA2229	IDSTF260
Basix	BF43	TA4427	IDSTF285	TA3327	IDSTF295	TA2227	IDSTF290
Basix	BF44	TA4423	IDSTF380	TA3323	IDSTF390	TA2223	IDSTF385
Basix	BF45	TA4421	IDSTF360	TA3321	IDSTF370	TA2221	IDSTF365
Forte	TF511	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Forte	TF512	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Forte	TF513	TA4422	IDSTF345	TA3322	IDSTF355	TA2222	IDSTF350
Forte	TF514	TA4422	IDSTF345	TA3322	IDSTF355	TA2222	IDSTF350
Forte	TF515	TA4423	IDSTF380	TA3323	IDSTF390	TA2223	IDSTF385
Forte	TF516	TA4423	IDSTF380	TA3323	IDSTF390	TA2223	IDSTF385
Forte	TF517	TA4426	IDSTF300	TA3326	IDSTF310	TA2226	IDSTF305
Forte	TF518	TA4428	IDSTF270	TA3328	IDSTF280	TA2228	IDSTF275
Forte	TF519	TA4425	IDSTF315	TA3325	IDSTF325	TA2225	IDSTF320
Grande	TF300	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Grande	TF301	TA4427	IDSTF285	TA3327	IDSTF295	TA2227	IDSTF290
Grande	TF310	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Grande	TF311	TA4418	IDSTF395	TA3318	IDSTF405	TA2218	IDSTF400
Modelli Chevron	TF40	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Modelli Chevron	TF41	TA4418	IDSTF395	TA3318	IDSTF405	TA2218	IDSTF400
Modelli Chevron	TF42	TA4423	IDSTF380	TA3323	IDSTF390	TA2223	IDSTF385
Modelli Herringbone	TF30	TA4424	IDSTF330	TA3324	IDSTF340	TA2224	IDSTF335
Modelli Herringbone	TF31	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Strato Classic	TF102	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Strato Classic	TF104	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Strato Classic	TF106	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Strato Warm	TF103	TA4425	IDSTF315	TA3325	IDSTF325	TA2225	IDSTF320
Strato Warm	TF108	TA4421	IDSTF360	TA3321	IDSTF370	TA2221	IDSTF365
Strato Warm	TF109	TA4418	IDSTF395	TA3318	IDSTF405	TA2218	IDSTF400
Strato Warm	TF112	TA4421	IDSTF360	TA3321	IDSTF370	TA2221	IDSTF365
Strato Warm	TF120	TA4427	IDSTF285	TA3327	IDSTF295	TA2227	IDSTF290
Strato Warm	TF121	TA4418	IDSTF395	TA3318	IDSTF405	TA2218	IDSTF400
Terreno	TF20	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Terreno	TF21	TA4422	IDSTF345	TA3322	IDSTF355	TA2222	IDSTF350
Terreno	TF22	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Terreno	TF23	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTF415
Terreno (Walnut)*	TF110	TA4019	IDSTF425	TA3019	IDSTA301	TA2019	IDSTA019
Terreno (Walnut)*	TF110	U1043	QSFO2510	U1043	QSFA0920	U1043	QSFA0920
Vintage	TF200	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTA019
Vintage	TF201	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTA019
Vintage	TF202	TA4423	IDSTF380	TA3323	IDSTF390	TA2223	IDSTA019
Vintage	TF203	TA4403	IDSTF410	TA3303	IDSTF420	TA2203	IDSTA019

* Walnut accessories are closest coordinating décor from the Quick-Step range.

* Tuscan accessories 14mm 21x58x2700mm T-Section Profile; 14mm 21x5x2700mm Ramp Profile

Wood Flooring Underlay guide

Underlay	Ref	Code	Cushioning	Moisture Protection	Sound Reduction	Compression Recovery	Hard Wearing	Level Floors	Underfloor Heating	Heat Insulation	Commercial Use	Humidity Protection	Suitable for...
STANDARD Acoustic White Foam Underlay: 2mm 1x1.5m (1.5m ² Roll)	UL10	IDSBUL12	✓										Light Traffic Wood & Laminate
PREMIUM DPM Underlay: 3mm 1x1.5m (1.5m ² Roll)	UL11	IDSBUL11	✓	✓									Medium Traffic Wood & Laminate
ULTRA Underlay: 3.5mm 1x1.0m (1.0m ² Roll)	UL12	IDSBUL12		✓	✓	✓	✓		✓				Heavy Traffic Wood & Laminate
ACCOUSTIC Ultra Plus Underlay: 5mm 8x1m (1.0m ² Roll)	UL13	IDS5UL13	✓	✓	✓			✓			✓		Heavy Traffic Wood & Laminate
FIBREBOARD Underlay: 7mm 590 x 856mm (9.6m ² Boards)	UL05	IDSBO015						✓		✓			Medium Traffic Wood & Laminate
SOUNDClick VINYL UNDERLAY: 1.5mm 1 x 1.5m (1.5m ² Roll)	UL06	IDS1UL06			✓	✓			✓				Heavy Traffic Wood & Laminate
BARRIER PAPER: 25m ²	UL07	IDSBO005										✓	Medium Traffic Wood & Laminate
DPM UNDERLAY: 4m x 5m x 600g	UL08	IDS4UL08		✓					✓				Medium Traffic Wood & Laminate
VAPOUR TAPE: 75mm 25m Roll	JT1	IDSVAPT											

Cleaning, maintenance and adhesives

Bona wood floor cleaning kit

Designed for regular maintenance of all lacquered and UV oiled floors.



Bona wood floor refreshers

For occasional refreshing of your lacquered and UV oiled floors.




Sika adhesives

European manufactured adhesives specifically designed for gluing down hardwood flooring.






Laminate Flooring



Pacific Oak



Quick-Step is the UK's leading brand of laminate flooring. With a vast range of styles, décors and textures - including a number of ranges suitable for bathrooms - Quick-Step is the ultimate laminate floor.



Blue Tile




FAUS laminate floors offer a highly realistic alternative to hardwood and ceramic materials. The FAUS range creates realistic stunning designs that are highly durable, easy-to-install, and complementary to your lifestyle and home.




Origin Sunset



Using the latest technology, this Swiss made flooring offers an authentic surface structure that feels like a real hardwood floor.



Light Varnished Oak




Krono Original offers a comprehensive range of laminate flooring with a broad selection of décors and finishes supported with an easy installation drop loc system.



Plantin White Oak



LOC Floor® is the ideal DIY product for those keen on saving money whilst offering modern and contemporary designs and colours. LOC Floor is ideal for property developers, DIY, retail shop fitters, hair dressing salons, restaurant and cafes and of course your home kitchen and family room.



Quick-Step

Quick-Step are at the forefront of innovation and have rightly earned their reputation for producing high-quality laminate floors that are both hardwearing and easy to install.

Cracked Oak Natural

There is a great selection of Quick-Step laminates that are waterproof and perfect for bathrooms. For bathroom installations take advantage of a 10 year water warranty. To qualify for the domestic 10-year water warranty, you must seal the perimeter (including doorways, expansions breaks, radiator pipes etc) with Quickstep Hydrokit (QSFA1732).

Please note: Quick-Step Laminate is not suitable for swimming pools, wet rooms or outside.

Features & Benefits

- Extensive décor options across wood and tile effect designs.
- Thicknesses 7mm to 12mm.
- Unilin locking system for quick and easy installation.
- Suitable for use with underfloor heating systems.
- Scratch guard finish for 10 times more scratch resistance.
- Will not discolour in light/sunlight.

Application

- Domestic / Light commercial



Water repellent hydro seal coating.



Brushed Oak Grey

Signature WATERPROOF

The most refined and water-resistant laminate floor. The unprecedented attention to detail makes your laminate indistinguishable from real wood.

- Dimensions: 212 x 1380mm
- Thickness: 9mm
- Pack Size: 7 planks = 2.048m²
- Installation: Uniclic
- Bevels: 4 genuine bevels
- Class: 32
- Warranty: 25 Year Domestic / 5 Year Commercial / 10 Year Wet

4 Genuine Bevels



Painted Oak
White
QSF06201



White Premium
Oak
QSF06205



Soft Patina Oak
QSF06196



Brushed Oak Grey
QSF06211



Patina Oak Grey
QSF06200



Painted Oak Rose
QSF06202



Beige Varnished
Oak
QSF06198



Brushed Oak
Beige
QSF06210



Brushed Oak
Natural
QSF06209



Brushed Oak
Warm Natural
QSF06208



Natural
Varnished Oak
QSF06197



Cracked Oak
Natural
QSF06213



Patina Oak Brown
QSF06199



Brushed Oak
Brown
QSF06212



Chic Walnut
QSF06207



Merbau
QSF06206



Waxed Oak
Brown
QSF06204



Painted Oak Black
QSF06203

Plank Size



Majestic WATERPROOF

The extra-large format, natural look and water-resistant technology make this floor a perfect choice to create a truly regal interior with a spacious appearance.



- Dimensions: 240 x 2050mm
- Thickness: 9.5mm
- Pack Size: 6 planks = 2.952m²
- Installation: Uniclic
- Bevels: 4 genuine bevels
- Class: 32
- Warranty: 25 Year Domestic/5 Year Commercial/10 Year Wet

4 Genuine Bevels



Valley Oak
Light Beige
MJ355400



Desert Oak
Light Natural
MJ355000



Woodland Oak
Beige
MJ354500



Woodland Oak
Natural
MJ3554600



Desert Oak
Warm Natural
MJ355100



Valley Oak
Light Brown
MJ355500




Woodland Oak
Light Grey
MJ354700



Desert Oak
Brushed Grey
MJ355200



Woodland Oak
Brown
MJ354800



Desert Oak
Brushed Dark
Brown
MJ355300

Plank Size





Woodland Oak Beige

Largo

With their extraordinary length of more than two-metres, these planks exude class and quality. The micro bevel adds more depth to your interior.

- Dimensions: 240 x 2050mm
- Thickness: 9.5mm
- Pack Size: 6 planks = 2.522m²
- Installation: Uniclic
- Bevels: 4 micro bevels
- Class: 32
- Warranty: 25 Year Domestic/5 Year Commercial

4 MICROBEVELS



Light Rustic Oak
LPU13960



Pacific Oak
LPU15070



Long Island
Oak Light
LPU16600




Dominicano
Oak Grey
LPU16630



Authentic Oak
LPU15050



Dominicano Oak
Natural
LPU16220



White Vintage
Oak
LPU39850



Long Island Oak
Natural
LPU16610




White Varnished
Oak
LPU12830




Cambridge Oak
Natural
LPU16620



Natural Varnished
Oak
LPU12840



Cambridge Oak
Dark
LPU16640



Grey Vintage Oak
LPU39860



Natural Varnished
Merbau
LPU39880

Plank Size





Classic Oak Natural

Impressive Ultra* WATERPROOF

12mm medium planks with the most natural look, waterproof technology and advanced surface protection.

- Dimensions: 190 x 1380mm
- Thickness: 12mm
- Pack Size: 5 Planks = 1.311m²
- Class: 33
- 25 Year Residential/5 Year Commercial/10 Year Wet

4 Genuine Bevels



White Planks
IMU18590*
IM185900**



Patina Classic
Oak Light
UIMU3559*
UIM35590**



Concrete Wood
Light Grey
IMU18610*
IM186100**



Patina Classic
Oak Grey
UIMU3560*
UIM35600**




Soft Oak Light
IMU18540*
IM185400**



Saw Cut Oak Grey
IMU18580*
IM185800**



Soft Oak Grey
UIMU3558*
UIM35580**



Saw Cut Oak Beige
IMU18570*
IM185700**



Natural Pine
IMU18600*
IM186000**



Sandblasted
Oak Natural
IMU18530*
IM185300**



Classic Oak Beige
IMU18470*
IM184700**



White
Varnished Oak
IMU31050*
IM310500**



Soft Oak Medium
IMU18560*
IM185600**



Soft Oak Natural
IMU18550*
IM185500**



Natural
Varnished Oak
IMU31060*
IM310600**




Classic Oak
Natural
IMU18480*
IM184800**



Soft Oak Light
Brown
UIMU3557*
UIM35570**



Scraped Oak
Grey Brown
IMU18500*
IM185000**



Classic Oak Brown
IMU18490*
IM184900**



Burned Planks
IMU18620*
IM186200**

Plank Size






Elegant, water-resistant floors with an excellent balance between length and width. The absence of bevels gives your interior a streamlined appearance.

- Dimensions: 156 x 1380mm
- Thickness: 8mm
- Pack Size: 8 planks = 1.722m²
- Installation: Uniclic
- Class: 32
- Warranty: 25 Year Domestic / 5 Year Commercial / 10 Year Wet

0 Bevels





Oak Light Grey

Elite

Elegant planks with a subtle micro bevel to add more depth to your interior.

- Dimensions: 156 x 1380mm
- Thickness: 8mm
- Pack Size: 8 planks = 1.722m²
- Installation: Uniclic
- Bevels: 4 micro bevels
- Class: 32
- Warranty: 25 Year Domestic / 5 Year Commercial

4 MICROBEVELS



Light Grey
Vanished Oak
UE130400



Worn Light Oak
UE130300




White Oak Light
UE149100




Old Oak Light
Grey
UE140600




Old White Oak
Natural
UE149300



White Oak
Medium
UE149200



Old Oak Grey
UE138800



Old White Oak
Dark
UE149600

Plank Size



Classic WATERPROOF

Water-resistant Classic floors offer a balanced combination of colours and styles, blended with a natural look and feel.



- Dimensions: 190 x 1200mm
- Thickness: 8mm
- Pack Size: 7 planks = 1.596m²
- Installation: Uniclic
- Bevels: 0 or 4 impression bevels
- Class: 32
- Warranty: 25 Year Residential/5 Year Commercial/10 Year Wet

0 Bevels



Reclaimed White
Patina Oak
QSF06278

Victoria Oak
QSF06291

Enhanced Beech
3 Strip
QSF06276

Enhanced Oak
Natural Varnished
3 Strip
QSF06279

Enhanced Merbau
3 Strip
QSF06277

4 Impression Bevels



Bleached White
Teak
QSF06280

Bleached White
Oak
QSF06281

Old Oak Light
Grey
QSF06285


Havanna Oak
Natural with Saw
Cuts
QSF06288

Windsor Oak
QSF06290

Midnight Oak
Natural
QSF06286

Moonlight Oak
Natural
QSF06289

Natural Varnished
Oak
QSF06282





Old Oak
QSF06283

Midnight Oak
Brown
QSF06287

Old Oak Grey
QSF06284

Plank Size



Old Oak Light Grey



Tennessee Oak Light Wood

Creo

The 7mm standard-sized and bevel-less planks provide a streamlined appearance.

- Dimensions: 190 x 1200mm
- Thickness: 7mm
- Pack Size: 8 planks = 1.824m²
- Installation: Uniclic
- Bevels: 0 bevels
- Class: 32
- Warranty: 20 Year Domestic



Charlotte Oak
White
QSF06048



Charlotte Oak
Brown
QSF06047



Virginia Oak
Natural
QSF06052



Tennessee Oak
Grey
QSF06051




Tennessee Oak
Light Wood
QSF06049



Tennessee Oak
Natural
QSF06050



Louisiana Oak
Natural
QSF06046



Virginia Oak
Brown
QSF06053

Plank Size




Impressive Patterns WATERPROOF

Give free rein to your imagination with these water-resistant patterns.




- Dimensions: 396 x 1200mm
- Thickness: 8mm
- Pack Size: 4 planks = 1.901m²
- Installation: Uniclic
- Bevels: 2 or 4 genuine bevels
- Class: 32
- Warranty: 25 Year Domestic/5 Year Commercial/10 Year Wet

4 Genuine Bevels



Royal Oak Natural
QSF06190



Royal Oak Brown
QSF06191



Chevron Oak
Medium
QSF06192



Chevron Oak
Taupe
QSF06195



Chevron Oak
Natural
QSF06193



Chevron Oak
Brown
QSF06194

2 Genuine Bevels

Size



Chevron Oak Medium


Arte

Large laminate tiles with subtle V-grooves. Combine the durability of an original tile floor with the practical benefits of laminate.



- Dimensions: 624 x 624mm
- Thickness: 9.5mm
- Pack Size: 4 planks = 1.558m²
- Installation: Uniclic
- Bevels: 4 micro bevels
- Class: 32
- Warranty: 25 Year Domestic/5 Year Commercial

4 MICROBEVELS




Marble Carrara
UF140000



Leather Tile Light
UF140100




Leather Tile Dark
UF140200



Polished Concrete
Natural
UF124600

Size



624mm


624mm



Polished Concrete
Dark
UF124700



Versailles White
Oiled
UF124800



Versailles Light
UF115500



Leather Tile Dark



Exquisa

An innovative floor with a tactile surface structure. The boards can consists of different tiles.

- Dimensions: 408 x 1224mm
- Thickness: 8mm
- Pack Size: 2 planks = 0.999m²
- Installation: Uniclic
- Bevels: 4 micro bevels or 4 genuine bevels
- Class: 32
- Warranty: 25 Year Residential/5 Year Commercial

4 GENUINE BEVELS 


4 MICROBEVELS 




Ceramic White
EXQ15530



Ceramic Light
EXQ15540




Ceramic Dark
EXQ15550




Tivoli Travertine
EXQ15560




Crafted Textile
EXQ15570



Slate Dark
EXQ15520



Slate Black
EXQ15500



Slate Black Galaxy
EXQ15510

Plank Size



1224mm

408mm

Swiss Krono

Offering laminate flooring for sophisticated tastes, Swiss Krono Grand selection looks and feels like a real hardwood floor.

Using the latest technology to create an authentic surface structure that's in line with the décor, the range offers oak and walnut effects across a spectrum of light to dark tones.

Origin Sunset

Features & Benefits

- Looks and feels like a real wood floor
- Quick and easy to install with the 5G drop loc click installation system
- Suitable for domestic and commercial installation
- 8mm, 12mm and 14mm thicknesses
- Large format planks, from 1380mm to 2780mm length and 193mm to 244mm width
- Aquastop surface protection provides an added benefit for moisture areas such as kitchens
- Colourfast and anti-static properties
- Easy to clean and maintain
- Highly durable and resilient
- FSC® certified

Swiss Touch Natural Light Oak 8mm laminate flooring

(SKGSO010)


- 193 x 1380mm
- 4V Bevel Edges
- Pack Size: 2.131m²
- Fold Down Click System
- 25 year residential warranty
- AC4/Class 32 Rated Boards
- Swiss Made Touch Texture: looks and feels like real wood
- Doorplate QSFA1788; Scotia QSFA1789
- Suitable for underfloor heating



Swiss Noblesse New York Grey Oak 8mm laminate flooring

(SKND8014)

- 193 x 1380mm
- 4V Bevel Edges
- Pack Size: 2.131m²
- Fold Down Click System
- AC4/Class 32 Rated Boards
- Doorplate SKND8015; Scotia SKND8016
- Suitable for underfloor heating



Swiss Touch

Origin:

Replicates a solid rustic floor better than any other laminate in the market place

- 14mm thick laminate flooring
- 244 x 2025mm
- Pack Size: 1.48m²
- Choice of 6 décors
- Aquastop surface protection provides an added benefit for moisture areas such as kitchens
- 35 year residential warranty
- AC5 commercial grade - Anti-Static
- Synchronized surface texture



Beach
D4492 SKOD4492



Moon
D4498 SKOD4498



Volcano
D4499 SKOD4499



Rock
D4496 SKOD4496



Sunshine
D4495 SKOD4495




Sunset
D4493 SKOD4493




Origin Beach

Grand Oak Selection:

- 12mm thick laminate flooring
- 193 x 1380mm
- Pack Size: 1.332m²
- Choice of 4 décors
- 35 year residential warranty
- AC5 commercial grade - Anti-Static
- Synchronized surface texture



Lion
D4198 SKGS0007



Umber
D4197 SKGS0006



Beaver
D4190 SKGS00004




Isabelline
D4191 SKGS0000



Grand Oak Isabelline

AQUASTOP MOISTURE PROTECTION

Aquastop moisture protection feature as standard - giving increased resistance to moisture and can be used in splash areas. Bathroom floors can be laid as normal providing a joint sealant is used on all four edges before joining two boards together.




Krono Original

The look and feel of real wood.

The latest KronoOriginal® collection comprises unique decors inspired by the latest trends, new surface textures and finishes.

Blonde Kaindl Hickory



GUARANTEE

All KronoOriginal® laminate floors are put through a series of rigorous tests in order to comply with international quality standards, which is why we grant an extensive residential warranty with every product.



STAIN AND IMPRINT RESISTANT

Whatever you might spill, whether red wine, oil or coffee, don't panic; it can be easily removed. KronoOriginal® is also abrasion resilient, robust and durable.



ECO FRIENDLY

All KronoOriginal® floors are environmentally friendly as standard made of up to 90 % wood sourced from sustainably managed forests. What's more, the entire production chain – from raw materials to the finished product – has been certified and is regularly inspected by independent experts, ensuring peace of mind for you – and protection of our environment.



A.B.C. ANTI BACTERIAL COATING

Keeping your flooring as clean and free of bacteria as possible is naturally a major concern. A KronoOriginal® A.B.C. Anti Bacterial Coating inhibits the growth of bacteria on your flooring and provides you with the peace-of-mind that comes from a healthy home environment.



AUTHENTIC EMBOSSED

The high quality Authentic Embossed structures feature elegant contrasting and a thrilling multi-gloss effect that emphasises the depth of the structure with matt and gloss elements that reflect the light differently. The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.



HANDSCRAPED

A breathtakingly elegant and realistic oiled finish, with gentle irregular undulations, inspired by traditional Amish craftsmanship. The soft matt surface replicates the hardwood area of solid flooring gently polished over time due to footfall. Meanwhile the deep matt pores are highlighted with glossy accents.



MICROSCRATCH PROTECT


This especially durable surface will protect your floors even better against micro-scratches which can occur through heavy use. With Microscratch Protect, your flooring will be well-protected against fine scratches and everyday wear and tear.



INSTALLATION

The KronoOriginal® installation systems have been specifically designed to make fitting your laminate flooring as easy and hassle free as possible. The click profiles allow individual panels to be joined together quickly with minimal tools or complications.





Elite

Beauty and toughness combined.

Plank Size: 1285 x 157 x 12mm

- AC5 Commercial class
- Authentic Embossed texture
- Bevelled edges on all four sides of the panel
- A.B.C. Anti Bacterial Coating
- 1clic 2go pure: Clickable short and long edges




Silver Shadow Oak K325
IDSKF182




Sundance Oak K326
IDSKF183




Hillside Oak K327
IDSKF184



Tomahawk Oak K375
IDSKF185



Laguna Oak K411
IDSKF186



Bedrock Oak 5541
IDSKF181



K327 Hillside Oak

Vintage Classic

A timeless combination.

Plank Size: 1285 x 192 x 10mm


- Microscratch Protect surface**
- Authentic Embossed texture
- Bevelled edges on all four sides of the panel
- A.B.C. Anti Bacterial Coating
- 1clic 2go pure: Clickable short and long edges



Pier Oak
K051
IDSK5121



Blackwater Oak
K413
IDSKF146



Corsair Oak
K414
IDSKF147



Rushmore Chestnut
5536
IDSKF056



Tawny Chestnut
5537
IDSKF141



Bakersfield Chestnut
5539
IDS26905



Historic Oak
5947
IDSK5125



Appalachian Hickory
8155
IDSKF095



K413 Blackwater Oak



1531 Aramis Oak



0580 Oak Posino

Binyl Pro

Resistant to splashes and spills.

Plank Size: 1285 x 192 x 8mm

- The perfect choice for kitchens & bathrooms
- AC5 Commercial class
- Hydroprotect HDF with 100h+ surface water protection
- Bevelled edges on all four sides of the panel
- A.B.C. Anti Bacterial Coating
- 1cllic 2go pure: Clickable short and long edges



Mayan Slate
1523
IDSKF163




Dartagnan Oak
1530
IDSKF164



Aramis Oak
1531
IDSKF165



Stratos Oak
1535
IDSKF166



Alamos Oak
1538
IDSKF167



Clayborne Oak
1539
IDSKF168



Brecon Slate
1526
IDSKF169




Moon Slate
1527
IDSKF170

Kaindl

High gloss. High life..

Plank Size: 1383 x 159 x 8mm


- High Gloss Finish
- A.B.C. Anti Bacterial Coating
- Authentic Embossed texture
- Bevelled edges on all four sides of the panel
- 1cllic 2go pure: Clickable short and long edges




Fresco Snow O251
IDSKF159




Oak Uptown O522
IDS26901



Oak Posino O580
IDS26902



Maple Velvet O631
IDSKF162



Super Natural


A stunning new achievement in realism.

Plank Size: 1285 x 192 x 8mm

- Authentic Embossed textures
- Bevelled edges
- A.B.C. Anti Bacterial Coating
- 1clic 2go pure: Clickable short and long edges



Atomic Oak K392
IDSKF180



Bedrock Oak 5541
IDS26906



Boulder Oak 5542
IDS26909



Colorado Oak 5543
IDS26910



Harlech Oak 8573
IDSKF015



Shire Oak 8633
IDSKF179



K392 Atomic Oak

Variostep

Striking floorboard aesthetics.

Plank Size: 1285 x 192 x 8mm

- Four sided V-groove
- Bevelled edges
- A.B.C. Anti Bacterial Coating
- 1clic 2go pure: Clickable short and long edges



Atlas Oak K031
IDS26914



Westside Oak K279
IDSKF138



Tomahawk Oak K375
IDSKF156



Suncrest K399
IDSKF157



Outback K408
IDSKF158



Dartmoor Oak 4369
IDS26904



Catalonia Oak 5340
IDSKF149



Rockford Oak 5946
IDS20715



Sherwood Oak 5985
IDS2692



Modena Oak 8274
IDSK8274




Light Varnished Oak 9748
IDSKF153



K408 Outback

FAUS

FAUS laminate floors offer a highly realistic alternative to hardwood and ceramic materials. We lead the industry in developing cutting edge technologies that allow us to create realistic stunning designs that are highly durable, easy-to-install and complementary to your lifestyle and home.



Mosaic Tile

Features & Benefits



Suitable for floors with underfloor heating



Sealing edges around the perimeter



Jointguard



HDF 'High Density Fibreboard'



Abrasion resistance AC6



Class of use: 33



Flame retardant B_{FL}-S1




Environmentally friendly



Antistatic


Application

Domestic / Commercial




Thickness 8.0mm
Pack size 2.32m²


Use Clicseal Flooring Joint Sealer for added protection use in areas directly outside the shower.



Victorian Tile



Blue Tile



Traditional Tile



Mosaic Tile

Decor	Code	Thickness / Plank Size	Pack size (m ²)
Victorian Tile	IDSFF031	8mm 1180 x 394mm	2.32m ²
Blue Tile	IDSFF061	8mm 1180 x 394mm	2.32m ²
Traditional Tile	IDSFF616	8mm 1180 x 394mm	2.32m ²
Mosaic Tile	IDSFF225	8mm 1180 x 394mm	2.32m ²
Joint Sealer	Code	Covers	Pack size
Unika Clicseal Flooring Joint Sealer	KKIDSWL1	10m ²	125ml



LOC Floor®


LOC Floor® is an affordable quality water resistant laminate floor, Class 32 rated for heavy domestic or medium commercial use. Available in six woodgrain designs, all featuring a 4V all-round bevel.

Plantin White Oak

LOC Floor® is the ideal DIY product for those keen on saving money whilst offering modern and contemporary designs and colours.

LOC Floor® is ideal for property developers, DIY, retail shop fitters, hair dressing salons, restaurant and cafes and of course your home kitchen and family room.

- Dimensions: 192 x 126mm
- Thickness: 8mm
- Pack Size: 2.18m²
- Installation: Uniclic
- Class: 32
- Bevel: 4V Bevels
- Warranty: LOC Floor carries a 20 year wear warranty* and is rated for heavy domestic use, and medium commercial use.



Plantin White Oak

IDSL4948



Smoked Dark Grey Oak

IDS60558



Plantin Beige Oak

IDSL4946



Magadan Natural Oak

IDSL4943



Bolsena Natural Oak

IDSL4928



Smoked Brown Oak

IDSL4989

Our Showrooms:

Derby

Hill Top Works, Church Gresley, Swadlincote, Derby, DE11 8EG
Tel: 01283 552525 (Option 4)

London

Ripple Road, Barking, Dagenham, IG11 0SY
Tel: 0208 4774150 (Option 1)

Commercial Contact Information:

Northern Distribution Hub

25 Loanbank Quadrant, Glasgow, G51 3HZ
Tel: 0141 445 8711 (Option 1)

Midlands Distribution Hub

Hill Top Works, Church Gresley, Swadlincote, Derby, DE11 8EG
Tel: 01283 552525 (Option 1)

Southern Distribution Hub

Ripple Road, Barking, Dagenham, IG11 0SY
Tel: 0208 4774150 (Option 1)

Estimating (North & Midlands)

Hill Top Works, Church Gresley, Swadlincote, Derby, DE11 8EG
Tel: 01283 552525 (Option 2)
Email: estimating@nevillelumb.co.uk

Estimating (South)

Ripple Road, Barking, Dagenham, IG11 0SY
Tel: 0208 4774150 (Option 2)
Email: estimating@nevillelumb.co.uk

www.nevillelumb.co.uk

Disclaimer Notice

Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, we reserve the right to change product specifications at any time without prior notice. The photographs reproduced in this publication are within the constraints of the printing process and are not to be used for matching purposes.

